

# How'd They Do That

Designed by Hilary Bobker of And It Was Sew

Featuring *Tall Ships* by Whistler Studios

SIZE: 62" x 49-1/2"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC LOOK MAY VARY ON YOUR PROJECT.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT [WINDHAMFABRICS.COM](http://windhamfabrics.com)'S FREE PROJECTS SECTION.



# How'd They Do That

KEY	FABRIC	SKU	YD	CUTTING REQUIREMENTS
A		42267-X multi	1-1/2	(56) TRIANGLE TEMPLATE A1s AND A2s. (4) 6-1/2" squares for corners.
B		42268-1 blue	1/8	(5) 3" squares.
C		42268-2 aqua	3/8	(2) WHOLE BOTTLE TEMPLATES.
D		42268-3 tan	3/8	(2) WHOLE BOTTLE TEMPLATES.
E		42269-1 blue	1-3/4	(1) 2-1/2" x 36-1/2" strip. (9) 16-1/2" x 12-1/2" rectangles. (3) 1-1/4" x WOF strips. Sew strips together via short ends and subcut (2) 1-1/4" x 50-1/2" strips.
F		42269-4 gold	1-3/4	(5) BOAT BASE TEMPLATES F. (6) 2-1/2" x WOF strips for binding. (9) CORK TEMPLATES.
G		42270-1 blue	1/8	(5) 3" squares.
H		42270-6 green	3/4	(5) 3" squares. (28) TRIANGLE TEMPLATE Hs.
I		42271-1 blue	3/4	(5) 3" squares. (28) TRIANGLE TEMPLATE Is.
J		42271-1 tan	1/8	(5) 3" squares.
K		42272-2 aqua	2/3	(5) 2-1/2" x 4-1/2" rectangles. (10) 2-1/2" squares. (25) 3" squares. (5) BOTTLE NECK TEMPLATES. (5) RIGHT TOP CORNER K1 AND LEFT TOP CORNER K2 TEMPLATES. (5) BOAT BASE CORNER K1 AND K2 TEMPLATES.
		42269-4 cream	3-1/4	for backing




# How'd They Do That



**PLEASE NOTE:** PATTERN USES TURNED EDGE APPLIQUÉ. REFER TO YOUR FAVORITE QUILTING SOURCE FOR TURNED EDGE APPLIQUÉ TECHNIQUES. APPLIQUÉ CAN BE ATTACHED BY HAND OR MACHINE.

## BLOCK ONE: WHOLE CLOTH BOTTLES

1. Starch or size (1) **E** 16-1/2" x 12-1/2" rectangle and mark the placement guides as shown below. Make 9.
2. Next starch (2) **C** and (2) **D** WHOLE BOTTLE TEMPLATES. Turn under the 1/4" seam allowance, clipping curves as necessary and press well. Do not turn under the bottle "opening" because it will be covered by the cork.
3. Lay out (1) **C** bottle on (1) **E** rectangle as shown below. *Note that the unturned edge of the bottle opening is 1/4" from the seam.* Stitch around **C** bottle by hand or machine. Repeat for remaining **C** and **D** WHOLE BOTTLE TEMPLATES. Set aside remaining (5) **E** rectangles.
4. Turn under three sides of each **F** CORK, leaving one side unturned. Add (1) **F** CORK as shown to **C** and **D** bottles, extending the side that has not been turned under into the seam. Stitch **F** CORK down. Set aside WHOLE CLOTH BOTTLE BLOCKS.




1. MARK (9) **E** RECTANGLES.



3-4. BLOCK ONE: MAKE (2) EACH OF **C** AND **D** BOTTLES.

## BLOCK TWO: SAILING BOTTLES

5. **Sailing Units:** Take (1) **K** 3" square and draw a diagonal line on wrong side, then place it right sides together with (1) **B** 3" square. Sew a 1/4" seam on both sides of drawn line. Cut on drawn line to yield (2) **BK** HSTs, open and press. Square **BK** unit to 2-1/2". Make (10) **BK**, **GK**, **HK**, **IK**, and **JK** units as shown in diagrams below. Set aside.



6. **FK Boat Base:** Refer to BASE BOAT TEMPLATE on page 5 to complete (5) boat bases.








# How'd They Do That


**7. Block Two Assembly:** Take (2) **K** 2-1/2" squares, (1) **K** 4-1/2" x 2-1/2" rectangle, (10) **BK** units, (1) **K** BOTTLE NECK, (1) LEFT and (1) RIGHT TOP CORNER, and (1) **FK** BOAT BASE and assemble pieces as shown in diagram below.

**8.** Attach BLOCK TWO in the the same manner as BLOCK ONE to the remaining (5) **E** 16-1/2" x 12-1/2" rectangles. Press well. Add **F** Cork as before, extending the unfolded edge into the seam allowance.

7. BLOCK TWO ASSEMBLY



8. ATTACH BLOCK TWO TO **E** RECTANGLE




**9.** Similar to **BK** BLOCK Two assembly repeat steps to complete **GK**, **HK**, **IK**, and **JK** SAILING BOTTLE blocks.

## QUILT CENTER ASSEMBLY

**10.** Sew the (4) BLOCK ONES (B1) and (5) BLOCK TWOS (B2) as shown in the diagram below. Press the horizontal seams down and press AWAY from the corks on the vertical seams. Quilt top should measure about 36-1/2" x 48-1/2".

**11.** Sew (1) **E** 2-1/2" x 36-1/2" strip to left side of quilt top. Next sew (1) **E** 1-3/8" x 50-1/2" strip to top and to bottom of quilt center. Press seams away from center. Set quilt top aside.






# How'd They Do That

## BORDER ASSEMBLY


**12. AH and AI Units:** Sew (1) **A1** and **A2** Triangle to (1) **H** Triangle as shown in diagram below.




SQUARE BLOCKS TO  
3-5/8" x 6-1/2"

MAKE (28) OF EACH.

**13. AH / AI Blocks:** Sew **AH** and **AI** units in blocks as shown below. *Note proper rotation of units.*



MAKE 14 **AH** BLOCKS



MAKE 10 **AI** BLOCKS


**14. Side Borders:** Sew (2) **AI** units, (3) **AH** blocks and (2) **AI** blocks as shown in diagram. Make 2. Sew one to left and right sides of quilt top.



**15. Top/Bottom Borders:** Sew (2) **AI** units, (4) **AH** blocks and (3) **AI** blocks as shown in diagram. Add (1) **A** 6-1/2" square to each end of one **AHI** border. Make 2. Sew one to top and to bottom of quilt top.

**16. Finishing:** Make a quilt sandwich by layering the quilt top, batting and backing. Quilt as desired. Bind quilt top using **F** 2-1/2" x WOF strips.

QUILT SIZE: 62" x 49-1/2"





# How'd They Do That

## BOAT BASE TEMPLATES



TEMPLATES INCLUDE 1/4" SEAM ALLOWANCE

PRINT AT 100%


USE FABRICS **F** AND **K**

REFER TO DIAGRAM FOR **BOAT BASE** ASSEMBLY



For **F BOAT BASE**, fold a sheet of paper via short edge and draw template, then open to have a boat base 2-1/2" x 13-1/4".



Turn under **F BOAT BASE** edge. Lay **F BOAT BASE** on top of **K BOAT BASE CORNER** and align BOAT EDGE with the line on the **K BOAT BASE CORNER** template. Topstitch and trim the excess underneath.



MAKE 5 FK BOAT BASES








# How'd They Do That

## TOP CORNERS, BOTTLE NECK AND CORK TEMPLATES

TEMPLATES INCLUDE 1/4" SEAM ALLOWANCE

PRINT AT 100%

USE FABRICS **F** AND **K**








# How'd They Do That

## TRIANGLE TEMPLATES

TEMPLATES INCLUDE 1/4" SEAM ALLOWANCE

PRINT AT 100%

USE FABRICS **A, H** AND **I**








# How'd They Do That

## BOTTLE-TOP TEMPLATE

TEMPLATE INCLUDES 1/4" SEAM ALLOWANCE

PRINT AT 100%

USE FABRICS **C** AND **D**



ALIGN TO BOTTLE-BOTTOM EDGE AND OVERLAP CENTER SEAM TO MATCH NOTCHES  
TAPE TEMPLATES TOGETHER

1"



# How'd They Do That

## BOTTLE-BOTTOM TEMPLATE

TEMPLATE INCLUDES 1/4" SEAM ALLOWANCE

PRINT AT 100%

USE FABRICS **C** AND **D**

1"

